

ELEV 104

TARANAKI BASE HOSPITAL

NZJQ


NON-CERTIFICATED

HELIPORT

NEW PLYMOUTH TOWER: 124.7 125.4

NEW PLYMOUTH ATIS: 127.05

UNATTENDED: 124.7



Heliport located within New Plymouth CTR/D.
Heliport on west side of hospital.

- Obstacles:
- Chimney 020°T 50 m from FATO (200 ft AMSL).
 - Unlit mast 220 m NNW of FATO, on top of building (280 ft AMSL).
 - Lit cell phone tower 005°T 120 m from FATO (180 ft AMSL)

S 39 04 24 E 174 03 19*

Effective: 21 JUL 16

TARANAKI BASE HOSPITAL

© Civil Aviation Authority

HELIPORT

FATO/TLOF

	SIZE	SFC	STRENGTH	MARKINGS
FATO		Gr		
TLOF	9.2 m x 9.2 m	Conc	6000 kg	Standard

Maximum helicopter size 17.5 m.

LIGHTING

FATO: Floodlighting

WDI

Contact hospital operator on (0508) 482 7262 for helipad and chimney lighting to be turned on – no less than 15 minutes prior to ETA.

FACILITIES

Nil

SUPPLEMENTARY

Operator: Taranaki Health, Private Bag 2016, New Plymouth.
Tel (06) 753 6139 Fax (06) 753 7720

Available for limited use subject to the prior agreement of the operator.