

ELEV 17

CAT A,B,C

NELSON

NZNS

RNAV (GNSS) SID RWY 20 (1)

TOWER: 127.4

DELIVERY: 123.3

ATIS: 129.1

UNATTENDED: 127.4

Navigation requirement: RNP 1

ALL DEPARTURES

Note 1. Minimum net climb gradient 3.3% (200 ft/NM) unless higher stated
CAUTION: Close-in obstacles not considered in climb gradient
– Trees MAX 49 ft AMSL located in sector 140°-150° between 200 m and 223 m from CWY end.

RWY 20

CONOR ONE QUEBEC DEPARTURE – RNAV (GNSS) (CONOR1Q)

Minimum net climb gradient 4.5% (280 ft/NM) to 5900 ft
Airspace Containment – Minimum net climb gradient 5.3% (330 ft/NM) to 8000 ft

- Track 198° to POTIR (fly-over)
- Turn RIGHT, track 218° to ANITU
- Cross ANITU at or below 7000 ft
- Turn RIGHT, track 239° to CONOR

NESTA ONE QUEBEC DEPARTURE – RNAV (GNSS) (NESTA1Q)


Minimum net climb gradient 4.6% (280 ft/NM) to 6300 ft
Airspace Containment – Minimum net climb gradient 5.8% (350 ft/NM) to 5700 ft

- Track 198° to POTIR (fly-over)
- Turn RIGHT, track 218° to ANITU
- Cross ANITU at or below 7000 ft
- Turn LEFT, track 182° to NESTA

BISEB ONE QUEBEC DEPARTURE – RNAV (GNSS) (BISEB1Q)

Minimum net climb gradient 6.5% (400 ft/NM) to 8300 ft

- Track 198° to POTIR (fly-over)
- Turn RIGHT, track 218° to ANITU
- Cross ANITU at or below 7000 ft
- Turn LEFT, track 148° to BISEB



Effective: 8 NOV 18

New chart.

ELEV 17

CAT A,B,C

NELSON

NZNS

RNAV (GNSS) SID RWY 20 (2)

TOWER: 127.4

DELIVERY: 123.3

ATIS: 129.1

UNATTENDED: 127.4

