

ELEV 1171

CAT A,B,C,D

QUEENSTOWN

NZQN

RNAV (GNSS) STAR RWY 23 (2)

TOWER: 118.1 128.9

APPROACH: 125.75

ATIS: 126.4

UNATTENDED: 118.1

Navigation requirement: RNP 1

RWY 23 UBDAM FOUR BRAVO ARRIVAL – RNAV (GNSS) (UBDAM4B)

TRANSITIONS:

- ADKOS
 - From ADKOS track 063° to BEVBO
 - Track 071° via IGNET to UBDAM

LIBLA


- From LIBLA track 121° to AKBOB
- Track 120° via DUJIG to UBDAM

DOVOT


- From DOVOT track 193° via POPON to UBDAM

- Cross UBDAM between FL240 and FL150, MAX IAS 250 kt
- Track 118° to LADIP
- Cross LADIP at or above 11,000 ft
- Track 127° to GOSPA
- Cross GOSPA at or below FL170, MAX IAS 210 kt
- Track 069° via MABGA to UGPED
- Cross MABGA at 11,000 ft

NOT TO SCALE
ATC Restriction



QNRNAVSTAR23-2-H



CAUTION
Aerodrome surrounded by mountainous terrain

ALL ARRIVALS

- At EKODA, MADOK, DADLU, or BEBOB contact CHRISTCHURCH CONTROL 129.3 MHz reporting position and level.
- ATC will issue appropriate STAR/Transition. Descend via STAR/Transition to ATC cleared level.
- If unable RNAV, expect radar vectors or alternative routing.

Changes from 28 MAR 19: Arrivals crossing FIR Boundary text.

Effective: 23 MAY 19

ELEV 1171

CAT A,B,C

QUEENSTOWN

NZQN

RNAV (GNSS) STAR RWY 23 (3)

TOWER: 118.1 128.9

APPROACH: 125.75

ATIS: 126.4


UNATTENDED: 118.1

Navigation requirement: RNP 1



At or below FL170
MAX IAS 210 kt

At or below
12,000 ft



RWY 23 SUNGU FOUR BRAVO ARRIVAL – RNAV (GNSS) (SUNGU4B)


- Cross SUNGU MAX IAS 250 kt
- Track 339° to ENKUV
- Track 331° to GOSPA
- Cross GOSPA at or below FL170, MAX IAS 210 kt
- Track 069° via MABGA to UGPED
- Cross MABGA at or below 12,000 ft

Holding SUNGU
MAX IAS 230 kt

MAX IAS
250 kt

CAUTION
Aerodrome surrounded by
mountainous terrain

NOT TO SCALE
At ATC Restriction



Changes from 9 NOV 17: MABGA crossing requirement.

GNRNAVSTAR23-3-F

Effective: 8 NOV 18